


Residential Recessed Door Frame RDF



EMI PORTA's residential recessed door frame "RDF" comes with an integrated EMDL door lock, position indicator and call button. Three-piece construction allows for quick, easy and reliable installation. Many other options available, call us for more information.


Product Features

- ASME 17.1-2016 section 5.3.1.7.2 code compliant (3/4" setback clearance)
- Pre-wired with integrated door lock, position indicator or car here button and call button
- EMDL Door Lock: 4 Position close & lock in series or 6 Position close & lock separate circuits
- Standard stocked sizes: 30" & 36" widths and 80" & 96" heights
- Available in right or left hand openings
- Keeper plate connects to the back of the swing door
- Ball latch & integrated catch included
- Pre-drilled 3 1/2" mortise
- Primed for painting
- Optional custom powder coating colors available upon request (additional cost)



EMI PORTA
250 Hamilton Road, Arlington Heights IL 60005
Phone 847-593-4900 Fax 847-593-1394
www.emiporta.com

Dimensions




Height	A	Rough Opening	Button Holes		Top of Hinge* Positions		
			Top ϕ	Bottom ϕ	B	C	D
80"	80-5/8"	83-3/4"	43-1/2"	42"	7-1/2"	37-7/16"	67-3/8"
96"	96-5/8"	99-3/4"	43-1/2"	42"	7-1/2"	46-3/4"	86"

Width	E	F	Rough Opening
30"	30"	37"	36-1/4"
36"	36"	43"	42-1/4"

*Designed to be used with 3 1/2" x 1 1/4" Hinge

Connection Diagram



OPTIONS IN PLACE OF POSITION INDICATOR AND OR CALL BUTTON

